



PRESENTS:



TCORKART

Parque Industrial Vendas Novas, Lote 20 7080-341 Vendas Novas **PORTUGAL**

T. +351 265 809 215/16 F. +351 265 809 217

info@corkart.pt www.corkart.pt





CORKARTSA Ordinary member of MMFA, the Multilayer Modular Flooring Association.









FLOOR & WALL COVERINGS

EDITION 2021/22













Welcome

In this selection we have prepared a compilation of exclusive designs that will enhance your projects.

We invite you to discover our Concepts: **Cork**, **Vinyl**, **Design & Lino**, floor and wall solutions with fantastic decors, textures and designs allied with the unique characteristics of cork.

Premium, **durable**, **comfortable** and **stylish coverings**, with a wide range of colors that facilitate creative and exclusive atmospheres and can easily fit into most interior design color schemes, from traditional to contemporary.

Always striving for excellence, come with us and explore a world of possibilities for your next project.

Feel inspired to create remarkable spaces!



Contract

CONTENTS

08 ABOUT CORKART



12


THE FLOOR COVERINGS

14 VINYL CONCEPT

62 CORK CONCEPT

78 **DESIGN** CONCEPT

90 LINO CONCEPT











Come with us and find out all the options that will create amazing spaces!

98

THE WALL COVERINGS

100 CORK CONCEPT





116

118

INFO

CORK UNDERLAYMENT TECHNICAL PRODUCTS





122 WEB TOOLS



About Corkart

PRODUCTS WITH EXCLUSIVE DESIGN & PREMIUM QUALITY, PRODUCED IN PORTUGAL, EUROPE.









Sustainable Company

In addition to the use of cork, **a natural material that is removed from the cork oak** without damaging
the tree and that is renewed, allowing the maintenance
of the cork oak forest and all the surrounding biodiversity

CORKART TAKE SEVERAL **SUSTAINABLE ACTIONS**:

Nothing is worthless. **Cork powder is transformed into energy** and most part of our machinery is heated using cork powder.

Cork waste is reused, in experiments, **to create innovative products** and returned to the production process.

We have one of the **biggest solar power plant installed for self consumption in Portugal**, with more than 4.000 panels with an installed power over 1.2 Megawatt.

In the SPC production, all waste is crushed into small pieces to be re-introduced in the production process.









Discover our wide range of premium quality products.









From the more traditional to the most contemporary look, for a wide variety of applications.





Flooring with modern design & extraordinary features.

We have developed the Vinyl Concept flooring to reach high performance, in even the most, particular environments. Their resistance and comfort, such as the possibility to choose different designs and sizes will delight you.

Explore our Vinyl Concept & it's features!
















AVAILABLE PLANK SIZES (INDICATIVE):



Accurate sizes at page 118

AVAILABLE SYSTEMS:





(SPC) RIGID CLICK



Detailed information at page 54













- 16 LUNGO SENSES
- 20 LUNGO
- 26 EXTEND SENSES
- 30 METROPOLITAN
- 36 SCANDINAVIAN



MEDIUM TRAFFIC




- 40 ORIGINALS
- 44 XL SLATE
- 46 STONE
- 48 TREND




























Unique design With 1800 plank.








Stylish, Sophisticated & Uncomplicated floors.






A floor with personality & character.




































































































Design characterized by simplicity, minimalism & functionality.











































Concrete look is trendy!

explore our options of textures & colours

in a big size format.












Flooring that meets your style demand.




















FLOATING

FLOATING FLOOR WITH A STRONG CLICK SYSTEM



Acoustic & thermal properties with a superior quality floating structure. Maximum comfort with a cork layer.



UNICLIC -



AUTHENTIC



EASY TO

INSTALL

EXTRA WARMTH & COMFORTABLE



OK RADIANT HEATING



RESISTANT




SOUND REDUCTION



RIGID CLICK

PERFECT FOR BIG AREAS

Perfect solution for big areas up to 400m2 without joints. Water proof floating floors to fit all spaces.





Available without underlay.

UNICLIC -



EASY TO



OK RADIANT HEATING



STRONG CARRIER BOARD



ULTRA



WATER PROOF



RIGID CLICK PLUS

SUPERIOR COMFORT

for wet areas.

Perfect for big areas up to 400m2 without joints.

....



Available without underlay.

UNICLIC



EASY TO INSTALL



OK RADIANT HEATING



STRONG CARRIER BOARD



ULTRA THIN



WATER PROOF





GLUE DOWN

NO LIMITS ON INSTALLATION & NO JOINTS NEEDED.

Safe & clean solution for all situations.

Dryback solution which will guarantee a long lasting life of your floor.







GLUE DOWN



OK RADIANT HEATING



ULTRA THIN




WATER PROOF


GD+)

GLUE DOWN PLUS

DRYBACK SOLUTION WITH EXTRA COMFORT.

No limits on installation & no joints needed.











GLUE DOWN



OK RADIANT HEATING



SOUND REDUCTION



WATER RESISTANT



BEVELS

The details can make all the difference & give a special touch to your spaces.





SURFACE FINISHING













FLOOR COVERINGS

Cork is a natural material with great insulating & acoustic properties.

This natural product creates a warm, comfortable and resilient surface. Cork is remarkably resistant to wear, as it is less affected by impact and friction than other hard surfaces, due to its cellular composition.

Explore our Cork Concept & its features!









FRIENDI Y







COMFORTABLE

AVAILABLE PLANK SIZES:

AVAILABLE SYSTEMS:





Accurate sizes at page 118

GD GLUE DOWN

Detailed information at page 74









Collections









Depending on surface finishing.


64 EXCLUSIVE 66 ETHERNAL














Feel all the details of cork flooring.











Be inspired by cork.








Be a trendsetter.




Exclusive & Ethernal

COLLECTIONS

























Bring the nature inside.






FLOATING

CORK FLOATING FLOOR



with superior comfort & quick installation.

Natural Shield® wax or tigh Resistance Ultra Shield® water base urethane varnish



UNICLIC C



ANTI-SLIPPERY



EASY TO

INSTALL

EXTRA WARMTH & COMFORT



OK RADIANT HEATING



RESISTANT



SOUND REDUCTION



GLUE DOWN

WARM & COMFORT

under foot with cork tiles.



Natural Shield® wax or tigh Resistance Ultra Shield® water base urethane varnish





ANTI-SLIPPERY



EASY TO REPAIR



EXTRA WARMTH & COMFORT



GLUE DOWN



HEATING

OK RADIANT



RESISTANT





REDUCTION

CONCEPT

BEVELS


The details can make all the difference & give a special touch to your spaces.


















FLOOR COVERINGS

Unique design options for cork flooring.

The Concept that brings amazing natural designs to cork flooring, combined with all the advantages of cork, like comfort, thermal isolation and sound reduction.

Choose natural environment with elegant wood look with Design Concept.





AUTHENTIC







AVAILABLE PLANK SIZES:

AVAILABLE SYSTEMS:









Accurate sizes at page 118

Detailed information at page 86















Nature with special designs.


























stylish & comfortable floors.









FLOATING

DESIGN CORK FLOORING.

Elegant design with easy installation and maximum comfort.





UNICLIC =



ANTI-SLIPPERY



EASY TO INSTALL



EXTRA WARMTH & COMFORT



GLUELESS INSTALLATION



OK RADIANT HEATING



RESISTANT



SOUND REDUCTION







GLUE DOWN

DESIGN & COMFORT

under foot.



tigh resistance Ultra Shield® water base urethane varnish









EASY TO REPAIR



EXTRA WARMTH & COMFORT



GLUE DOWN



OK RADIANT

HEATING

RESISTANT



SOUND REDUCTION



The details can make all the difference & give a special touch to your spaces.

BEVELS











Just 100% natural.

Lino is a natural product made from linseed oil, wood floor, pine resin, jute & limestone. This durable, comfortable and stylish floor covering offers a range of colors that can easily fit into most interior design schemes, from traditional to contemporay.

Enjoy our options of Lino Concept.

















AVAILABLE PLANK SIZES:

AVAILABLE SYSTEMS:



Accurate sizes at page 118

Detailed information at page 96












Collection







































FLOATING

ECO-FRIENDLY FLOORING

with durability and design.





UNICLIC C



ANTI-SLIPPERY



INSTALL

EASY TO



GLUELESS INSTALLATION



OK RADIANT HEATING



RESISTANT





The selection of unique wall coverings for perfect spaces.



The privilege of having a natural material on the walls, through the different possibilities with modern or classic looks.





A masterpiece on the wall.

Naturally stylish, silent and comfortable yet easy to maintain and environmentally friendly. The remarkable native properties of cork wall panels and tiles will create a warm, quiet and relaxing ambiance.

Explore our Cork Concept & its features!





DEGRADABLE









SOUND

AVAILABLE **PLANK SIZES** (INDICATIVE):

0 x 450 0 x 300 0 x 630

Accurate sizes at page 118

AVAILABLE SYSTEMS:






Detailed information at page 112












104 EXTRAVAGANT 106 CLASSIC

110 **raw**




















Perfect to create a cosy space.













tarmony into your environment.











our decors, your style.





:














Bring the nature inside.





WALL TILES

NATURAL & ACOUSTIC MATERIAL

for a perfect atmosphere.









SOUND REDUCTION



WALL PANELS

CHOOSE A NATURAL ENVIRONMENT

& elegant decoration.














The details can make all the difference & give a special touch to your spaces.

BEVELS






115



FOR ALL TECHNICAL INFORMATION, PLEASE VISIT: CORKART.PT





SUITABLE FOR:









MAINTENANCE PRODUCT


A specially formulated biodegradable coating that helps revitalize and protect your Cork and Design floor against wear and moisture.

The use of DL-9667 is mandatory to maintain the wear warranty on Corkart floors. Biodegradable, contains no volatile organic compounds (VOCs).

Suitable for Cork and Design floors.



REPAIR



Minutes after applying the **Repair Kit** your floor will look new. It is recommended to apply the Maintenance Product after the **Repair Kit** application for a homogeneous gloss level. Suitable for Cork and Design floors.



TECHNICAL INFO

FLOOR COVERINGS



FLOOR COVERINGS						WALL COVERINGS	
LUNGO SENSES COLLECTION	F FLOATING	RIGID CLICK	RIGID CLICK PLUS	GD GLUE DOWN	GDD GLUE DOWN PLUS	W WALL TILES	WP WALL PANELS
SPECS OF THE PRODUCT	1800 x 220 x 10,8 mm	1800 x 228 x 6.0 mm (1 mm underlav IXPF)	1805 x 225 x 6,5 mm (1 mm underlay IXPE)	1829 x 229 x 2,5 mm			
BEVEL	Micro Bevel	Micro Bevel	Micro Bevel	Micro Bevel			
CLASS	33 10 ID	33	33	42			
DB EMBOSS	18dB Registered Wood Semi-matte	- Regular Wood Semi-matte	- Registered Wood Semi-matte	5dB Registered Wood Semi-matte			
EMBO33	negistered wood Jenn matte	Regular Wood Sellic Matte	registered wood Sellit Illutte	registered wood sellic matte			
LUNGO COLLECTION							
SPECS OF THE PRODUCT	1800 x 220 x 10,8 mm) 1805 x 225 x 6,5 mm (1 mm underlay IXPE)	1829 x 229 x 2,5 mm			
BEVEL	Micro Bevel 33	Micro Bevel 33	Micro Bevel 33	Micro Bevel 42			
CLASS DB	18dB	-	-	42 5dB			
EMBOSS	Regular Wood Semi-matte	Regular Wood Semi-matte	Regular Wood Semi-matte	Regular Wood Semi-matte			
EXTEND SENSES COLLECTION							
SPECS OF THE PRODUCT	1500 x 220 x 10,8 mm		1505 x 225 x 6,5 mm (1 mm underlay IXPE)	1524 x 229 x 2,5 mm			
BEVEL	Micro Bevel	Micro Bevel	Micro Bevel	Micro Bevel			
CLASS DB	33 18dB	33	33	42 5dB			
EMBOSS	Registered Wood Semi-matte	- Regular Wood Semi-matte	- Registered Wood Semi-matte	Registered Wood Semi-matte			
METROPOLITAN COLLECTION							
	1200 x 210 x 9,3 mm	1720 v 270 v E E/1 1700	1205 v 215 v 5 7 mm /1	1219 x 229 x 2,5 mm	1212 x 222 x 4 mm		
SPECS OF THE PRODUCT BEVEL	1200 x 210 x 9,3 mm Micro Bevel	1230 x 228 x 5,5 mm(1 mm underlay IXPE) Micro Bevel	1205 x 215 x 5,7 mm (1 mm underlay IXPE) Micro Bevel	1219 x 229 x 2,5 mm Micro Bevel	1212 x 222 x 4 mm Micro Bevel Optional		
CLASS	33	33	33	42	42		
DВ	17dB	-		5dB	12dB		
EMBOSS	Regular Wood Semi-matte	Regular Wood Semi-matte	Regular Wood Semi-matte	Regular Wood Semi-matte	Regular Wood Semi-matte		
SCANDINAVIAN COLLECTION							
SPECS OF THE PRODUCT	1200 x 210 x 9,3 mm		1205 x 215 x 5,7 mm (1 mm underlay IXPE)	1219 x 229 x 2,5 mm	1212 x 222 x 4 mm		
BEVEL CLASS	Micro Bevel 33	Micro Bevel 33	Micro Bevel 33	Micro Bevel 42	Micro Bevel Optional 42		
DB	17dB	-	-	5dB	12dB		
EMBOSS	Regular Wood Semi-matte	Regular Wood Semi-matte	Regular Wood Semi-matte	Regular Wood Semi-matte	Regular Wood Semi-matte		
ORIGINALS COLLECTION							
SPECS OF THE PRODUCT	1200 x 210 x 9,5 mm	1230 x 228 x 5,5 mm (1 mm underlay IXPE)	1205 x 215 x 6 mm (1 mm underlay IXPE)	1212 x 222 x 2 mm	1212 x 222 x 4 mm		
BEVEL	No Bevel	No Bevel	No Bevel	No Bevel	No Bevel		
class dB	32 18dB	32	32	32 4dB	32 12dB		
DB EMBOSS	Deep Wood Super-matte	- Deep Wood Super-matte	Deep Wood Super-matte	Deep Wood Super-matte	Deep Wood Super-matte		
XL SLATE COLLECTION							
SPECS OF THE PRODUCT	1200 x 440 x 10,8 mm	1230 x 470 x 5,5 mm (1 mm underlay IXPE)	1205 x 445 x 6 mm (1 mm underlay IXPE)	1212 x 452 x 2 mm	1212 x 452 x 4 mm		
BEVEL	Deep Bevel Optional	Deep Bevel Optional	Deep Bevel Optional	Deep Bevel Optional	Deep Bevel Optional		
CLASS DB	32 18dB	32	32	32 4dB	32 12dB		
EMBOSS	Regular Slate Semi-matte	- Regular Slate Semi-matte	Regular Slate Semi-matte	Regular Slate Semi-matte	Regular Slate Semi-matte		
	0	0		0			
STONE COLLECTION							
SPECS OF THE PRODUCT	612 x 440 x 10,8 mm	$620 \times 470 \times 5,5$ mm (1 mm underlay IXPE)	620 x 445 x 6 mm (1 mm underlay IXPE)	622 x 452 x 2 mm	622 x 452 x 4 mm		
BEVEL	Deep Bevel Optional	Deep Bevel Optional	Deep Bevel Optional	Deep Bevel Optional	Deep Bevel Optional		
CLASS DB	32 18dB	32	32	32 4dB	32 12dB		
	Regular Stone Semi-matte	Regular Stone Semi-matte	Regular Stone Semi-matte	Regular Stone Semi-matte	Regular Stone Semi-matte		
EMBOSS	riegulai Storie Seriil matte	regular Stone Seria matte	regular Storie Seriit matte	8			

TECHNICAL INFO	FLOOR COVERINGS					WALL COVERINGS			
.nrv	TREND COLLECTION	F FLOATING	PO RIGID CLICK	RIGID CLICK PLUS	GD GLUE DOWN	(GD	GLUE DOWN PLUS	W WALL TILES	WP WALL PANELS
vinyl	SPECS OF THE PRODUCT BEVEL CLASS DB EMBOSS	1200 x 210 x 8,7 mm No Bevel 32 17dB Regular Wood Semi-matte	1230 x 228 x 5,5 mm (1 mmunderlay IXP No Bevel 32 - Regular Wood Semi-matte	E) 1205 x 215 x 5,7 mm (1 mmunderlay IXPE) No Bevel 32 - Regular Wood Semi-matte	1212 x 222 x 1,5 mm No Bevel 32 4dB Regular Wood Semi-r	No 32 12	212 x 222 x 4 mm Bevel 2 ddB ggular Wood Semi-matte		
	EXCLUSIVE COLLECTION								
CONCEPT	SPECS OF THE PRODUCT BEVEL CLASS DB SURFACE FINISHING	900 x 300 x 11 mm No Bevel 23/32 19dB Unfinished Natural Shield Wax - Super Matte (Class Ultra Shield (HR) - Semi Matte (Class 32)	23)		600 x 300 x 6 mm Without or 4 Sides B 23/32 14dB Unfinished Natural Shield Wax- Ultra Shield (HR) - So	- Super Matte (Class 23))		
	ETHERNAL COLLECTION								
	SPECS OF THE PRODUCT BEVEL CLASS DB SURFACE FINISHING	900 x 300 x 10 mm No Bevel 23/32 19dB Unfinished Natural Shield Wax - Super Matte (Class Ultra Shield (HR) - Semi Matte (Class 32)	23)		600 x 300 x 6 mm No Bevel or Deep Be 23/32 14dB Unfinished Natural Shield Wax - Ultra Shield (HR) - So	- Super Matte (Class 23)			
	ENZO COLLECTION								
design	SPECS OF THE PRODUCT BEVEL CLASS DB EMBOSS SURFACE FINISHING	1200 x 210 x 10,5 mm No Bevel or Deep Bevel 32 17dB Regular Wood Semi-matte Ultra Shield (HR)			1200 x 210 x 6 mm No Bevel or Deep Bev 32 14dB Regular Wood Semi-r Ultra Shield (HR)				
	MURANO COLLECTION								
Lino	SPECS OF THE PRODUCT BEVEL CLASS DB EMBOSS	900 x 300 x 11 mm No Bevel 32 17dB -							
	MINERALS COLLECTION								
CONCEPT	SPECS OF THE PRODUCT BEVEL CLASS DB							600 x 450 x 3 mm 4 Sides Bevel -	
	SURFACE FINISHING EXTRAVAGANT COLLECTION							Super Matte	
	SPECS OF THE PRODUCT BEVEL CLASS DB							600 x 300 x 3 mm No Bevel -	
	SURFACE FINISHING CLASSIC COLLECTION							High Gloss	
	SPECS OF THE PRODUCT BEVEL CLASS							600 x 300 x 3 mm No Bevel	
	DB SURFACE FINISHING							- Super Matte	
	RAW COLLECTION SPECS OF THE PRODUCT								P03184 : 930 x 630 x 7 mm
									PT3182 : 935 x 635 x 7 mm PT3482 + PT3483 : 935 x 635 x 10 mm
	BEVEL SURFACE FINISHING								No Bevel Raw

 $\mathsf{GD+}$) for specific projects it can be produced with a higher thickness.

MORE **TECHNICAL INFORMATION** ON WEBSITE **CORKART.PT**



EXPLORE OUR DIGITAL CHANNELS AND DISCOVER ALL THE COLLECTIONS AND CORKART NEWS.


WEBSITE

CLIENT SUPPORT

corkart.pt


info@corkart.pt

Visit us at home, in the office or anywhere.





Explore our options and access all the information.




Check all the Systems, Dimensions & Bevels!



Discover the different ambient photos we have prepared for you.





@CorkartGroup

© @corkartgroup

in /company/corkart You Tube Corkart SA